

	Typ	L #	Hits	S arch T xt	DB	Tim Stamp	C m m nt s	Err r D finiti n	Err r
1	BRS	L1	660	(epoxy with resin) same (high with temperature) same ((curable or cured or curing or cure) with (heat or infrared or ultraviolet or chemical or radio or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 16:01			0
2	BRS	L2	62	1 and (engine or (vehicle with part\$1) or transmission)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 15:48			0
3	BRS	L3	22	1 and (engine or (vehicle with part\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 16:02			0
4	BRS	L4	361 2	(adhesive with (polyimide or novolac or nitrile or epoxy)) same (((curable or cured or curing or cure) with (heat or infrared or ultraviolet or chemical or radio or moisture))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 16:02			0
5	BRS	L5	135	4 and (engine or (vehicle with part\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 16:03			0

	Typ	L #	Hit	S arch T xt	DBs	Tim Stamp	C m m nt s	Err r D finiti n	Err rs
6	BRS	L6	17	(epoxy with resin with adhesive) same (tensile with strength with (psi or mpa))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:21			0
7	BRS	L7	326	(polyimide or novolac or nitrile) same (tensile with strength with (psi or mpa))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:12			0
8	BRS	L8	19	7 and engine	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:10			0
9	BRS	L9	17	8 not 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:20			0
10	BRS	L10	8	(adhesive with (polyimide or novolac or nitrile)) same (tensile with strength with (psi or mpa))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:12			0
11	BRS	L11	4	ht424	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:22			0

	Typ	L #	Hits	S arch Text	DB	Tim Stamp	C m m nt s	Err r D finiti n	Err rs
12	BRS	L120		ht424 with tensile with (psi or mpa)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:22			0
13	BRS	L131		ht424 with (psi or mpa)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:33			0
14	BRS	L140		(den with "431") with tensile with strength	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:34			0
15	BRS	L1526		("431") with tensile with strength	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:36			0
16	BRS	L164		(epoxy with phenol with novolac) same (tensile with strength)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/31 17:37			0